

H.M.I.S.	
Health:	0
Flammability:	1
Reactivity:	0
These ratings should be used only as a part of a fully implemented H.M.I.S. program.	

Material Safety Data Sheet

Section I - Product Identification

Trade Name and Synonyms AEON-NG-LF10		Part Numbers: 28H302, 28H303, 28H304	Health Emergency Phone Number (989) 496-3780 Safety Department
Manufacturer's Name Gardner Denver, Inc.			
Address 1800 Gardner Expressway - Quincy, IL 62301			Transport Emergency Phone Number (800) 424-9300 (CHEMTREC)
Chemical Name Hydrotreated, Paraffinic Mineral Oil			
Chemical Family Semi-Synthetic Hydrocarbon			
Formula Proprietary	CAS# Proprietary		

Section II – Components and Hazard Statement

This product is non-hazardous. The product contains no known carcinogens. No special warning labels are required under OSHA 29 CFR 1910.1200.

Section III – Safe Handling and Storage

Handling Do not take internally. Avoid contact with skin, eyes, and clothing. Upon contact with skin, wash with soap and water. Flush eyes with water for 15 minutes and consult physician. Wash contaminated clothing before reuse.
Storage Keep container tightly sealed when not in use.

Section IV – Physical Data

Appearance:	Clear liquid, light amber tint
Odor:	Slight
Boiling Point:	>300°F
Specific Gravity (water=1):	0.87 – 0.89
Evaporation Rate (butyl acetate=1):	Nil
Vapor Pressure:	<0.01mmHg @ 20°C
Volatiles, Percent by Volume:	0%
Solubility in Water:	Insoluble

Section V - Fire and Explosion Hazard Data

Flash Point (by Cleveland Open Cup): 707 - 932°C, 375 - 500°F	Flammable Limits: Not established
Extinguishing Media: Dry chemical; CO ₂ foam; water spray (fog)	Autoignition Temperature: No data
Unusual Fire and Explosion Hazards: None	NFPA Ratings: Not Established
Special Fire Fighting Techniques: Burning fluid may evolve irritating/noxious fumes. Firefighters should use NIOSH/MNSA-approved self-contained breathing apparatus. Use water carefully to cool fire-exposed containers. USE WATER CAREFULLY NEAR EXPOSED/BURNING LIQUIDS TO AVOID FROTHING AND SPLASHING OF HOT LIQUID.	

Section VI – Reactivity Data

Stability: Stable	Hazardous Polymerization: Will not occur
Incompatible Materials : Strong oxidizers	Hazardous Decomposition Products: Analogous compounds evolve carbon monoxide, carbon dioxide, and other unidentified fragments when burned. See Section V.
Conditions to Avoid : Excessive Heat	

Section VII - Health Hazard Information

Threshold Limit Value:	5mg/m ³ ACGIH for oil mists
Situations to Avoid:	Avoid breathing oil mists
Inhalation:	Product is not toxic by inhalation. If oil mist is inhaled, remove to fresh air and consult physician.
Ingestion:	Consult physician at once. DO NOT INDUCE VOMITING. May cause nausea and diarrhea.
To the best of our knowledge the toxicological properties of these compounds have not been fully investigated. Analogous compounds are considered to be essentially non-toxic.	

Section VIII – Personal Protection Information

Ventilation:	Local exhaust
Respirator Protection:	Use in well ventilated area
Protective Gloves:	Not required, but recommended, especially for prolonged exposure
Eye/Face Protection:	Goggles

Section IX - Spill or Leak Procedure

In Case of Spill: Wear suitable protective equipment, especially goggles. Stop source of spill. Dike spill area. Use absorbent materials to soak up fluid (i.e. sand, sawdust, and commercially available materials). Wash spill area with large amounts of water. Properly dispose of all materials.

Section X – Waste Disposal Method

Waste Disposal Method: Incinerate this product and all associated wastes in a licensed facility in accordance with Federal, state, and local regulations.

The information in this material safety data sheet should be provided to all who use, handle, store, transport, or are otherwise exposed to this product. Gardner Denver believes the information in this document to be reliable and up to date as of the date of publication, but makes no guarantee that it is.

NOTE: Not a controlled product under Canadian WHMIS Hazard Criteria; as specified in Controlled Product Regulation.

AEON Lubricants are not formulated to contain PCBS.